



# STRIP CURTAIN

COST-EFFECTIVE FINISH WITH  
GOOD INSULATING PROPERTIES

**ITW**  
INDUSTRIETORE

**TORMAFA**  
Maschinenschutz- und Industrietore



# THE ADVANTAGES AT A GLANCE



Versatile use indoors and outdoors



Size up to 6,000 mm x 5,000 mm



Cost-effective solution



Large selection of colours



Version for deep-freeze up to -40 °C and welding protection



For sealing sliding steel doors and crane runways



Protects machines and systems from dust and chips



# DIVIDE ROOMS QUICKLY

The strip curtain offers a low-cost closure with good insulating properties. A patented plastic clip system serves as a retaining element for the PVC strips, which is locked in place using a galvanised, thick-walled 1" tube. The individual slats are firmly riveted to the fastening clip and can be swivelled at least 180° on the retaining tube. Each PVC strip can be attached and removed without dismantling the retaining element.

## MATERIAL

- Normal quality
- Deep-freeze quality down to -30° C
- Welding protection version
- Antistatic version



## FASTENING

- Fixed in front of or in the lintel
- Sliding one-piece/multi-piece, in front of or in the lintel
- Sliding 90° around the corner
- Specially developed special version for refrigerated and deep-freeze vehicles

## EXECUTIONS

### 200 mm x 2 mm:

Indoor use up to 2,500 mm height  
Outdoor use is not recommended

### 300 mm x 3 mm:

Indoors up to 4,000 mm height  
Exterior up to 4,000 mm height

### 400 mm x 4 mm:

Interior up to 6,000 mm height  
Exterior up to 5,000 mm height

# OUR FURTHER PRODUCT RANGE



**SPIRAL DOOR**



**FOLDING DOOR**



**HORIZONTAL HIGH-SPEED DOOR**



**VERTIKAL HIGH-SPEED DOOR**



**SWING DOORS**



**STRIP CURTAINS**



**MACHINE PROTECTION DOOR**



**SECTIONAL DOORS**



**STEEL / ALUMINUM ROLLER DOORS**

## SCOPE OF APPLICATION



INDUSTRY



TRANSPORT



LOGISTICS



AUTOMOTIVE



M. PROTECTIONS



CLEAN ROOM



SUPERMARKET



FOOD



COOLING AREA



ATEX

**ITW Industrietore GmbH**  
Adolf-Kolping-Straße 14  
73072 Donzdorf  
Germany

Tel. +49 7162 9129-60  
Fax +49 7162 9129-64  
info@itw-torsysteme.de  
www.itw-torsysteme.de

**ITW**  
INDUSTRIETORE