



TRANS- SPEED FLW

THE INTERIOR GATE FOR
ESCAPE ROUTES






THE ADVANTAGES AT A GLANCE

-  Opening speed up to 2.0 m/s
-  Door size up to 4.0 m x 4.0 m
-  Weight compensation
-  Wide range of colors
-  Escape route approval
-  Automatic opening in case of power failure
-  Emergency exit monitoring

THE SPECIAL FEATURES




THE INTERIOR GATE FOR ESCAPE ROUTES


The Transspeed FLW high-speed roll-up door is a special interior door for escape routes and has been "escape route approved" and "type tested" by TÜV Süd.

The escape route is monitored by a safe radar detector and the emergency opening height is checked in a cyclical test (every 24h).

Approval in accordance with DIBT building regulations, as the sole escape route, is possible after a single test by an expert.




Crash



Curtain tension



Light grid



Bale and drive cover

TECHNICAL DATA

- Opening speed up to 2.0 m/s
- Closing speed up to 0.8 m/s
- Door sizes up to 4.0 m height and 4.0 m width
- DR2100 microprocessor control system with main switch and integrated frequency converter
- 230 V/50Hz, IP54 Operator
- Required lintel height min. 447 mm
- Curtain available in various colors or fully printed with motifs

SAFETY

- Access protection by means of all-round cladding
- Passage monitoring by means of contactless light grid
- Emergency opening - in case of power failure gate opens automatically approx. 2 m
- Safe radar detector in escape direction
- Monitoring of the safe opening height in case of emergency opening
- Anti-crash function - self-engaging (optional)

OUR FURTHER PRODUCT RANGE



SPIRAL DOOR



FOLDING GATE



HORIZONTAL HIGH-SPEED DOOR



VERTIKAL HIGH-SPEED DOOR



SWING DOORS



STRIP CURTAINS



MACHINE PROTECTION DOOR



SECTIONAL DOORS



STEEL / ALUMINUM ROLLER DOORS

SCOPE OF APPLICATION



INDUSTRY



TRANSPORT



LOGISTICS



AUTOMOTIVE



M. PROTECTIONS



CLEAN ROOM



SUPERMARKET



FOOD



COOLING AREA



ATEX

ITW Industrietore GmbH
Adolf-Kolping-Straße 14
73072 Donzdorf
Germany

Tel. +49 7162 9129-60
Fax +49 7162 9129-64
info@itw-torsysteme.de
www.itw-torsysteme.de

**ITW**
INDUSTRIETORE