



TRANS- SPRINT

FAST, ROBUST AND FULL HEIGHT
THROUGH HORIZONTAL OPENING


ITW
INDUSTRIETORE


TORMAFA
Maschinenschutz- und Industrietore



ADVANTAGES AT A GLANCE



Opening speed up to 3.0 m/s



Door size up to 6.0 m x 6.0 m



Resistance to wind load up to class 2



Low dripping requirement



Crash protection



Escape route (optional)



Can be used indoors and outdoors




In the area of transport systems



For food processing plants also available in stainless steel design

SPECIAL FEATURES




IMMEDIATELY FULL CLEARANCE


The lateral opening of the gate wings enables the immediate provision of the complete gate height and thus ensures fast and safe traffic of goods. This guarantees a trouble-free and safe traffic flow and prevents long interruption times.

Due to the horizontal opening and closing cut-outs for e.g. pipes and conveyor belts - which pass through the door - are possible. In addition, the door division can be asymmetrical or single-winged.


In the stainless steel version, the Transsprint meets the hygienic requirements of food, chemical and pharmaceutical industries.




Transsprint - Single Wing



Transsprint - Asymmetrical with two separate drives and controls



Transsprint C with Crash protection



Lintel requirement 250 mm

TECHNICAL DATA

- Opening speed up to 3.0 m/s
- Closing speed up to 1.5 m/s
- Door sizes up to 6.0 m height and 6.0 m width
- DR2100 microprocessor control system with main switch and integrated frequency converter
- 230 V/50Hz, IP66 drive
- Emergency stop switch and 3-fold push button in steel control cabinet
- Lintel height min. 250 mm, depending on the door size and design

SAFETY

- Access protection due to all-round cladding
- Surveillance light barrier or Safety contact strip in each closing beam
- Drive-through monitoring by means of non-contact light grid (optional)
- Anti-crash function (optional)
- Emergency opening door, can be pushed open manually
- Signal lights and traffic light control (optional)

OUR FURTHER PRODUCT RANGE

TRANSSPRINT (EN) | 31.01.2023 | TECHNICAL CHANGES RESERVED



SPIRAL DOORS



FOLDING DOORS



HORIZONTAL HIGH-SPEED DOORS



VERTIKAL HIGH-SPEED DOORS



SWING DOORS



STRIP CURTAINS



MACHINE PROTECTION DOORS



SECTIONAL DOORS



STEEL / ALUMINUM ROLLER DOORS

SCOPE OF APPLICATION



INDUSTRY



TRANSPORT



LOGISTICS



AUTOMOTIVE



M. PROTECTIONS



CLEAN ROOM



SUPERMARKET



FOOD



COOLING AREA



ATEX

ITW Industrietore GmbH
Adolf-Kolping-Straße 14
73072 Donzdorf
Germany

Tel. +49 7162 9129-60
Fax +49 7162 9129-64
info@itw-torsysteme.de
www.itw-torsysteme.de

**ITW**
INDUSTRIETORE